

OBUDOWY OPS IP 44 RAL 7035 GŁ BOKO 250mm podstawowe



OPS TYPE HOUSING IP 44 RAL 7035 DEPTH 250mm one-chamber

GEHÄUSE OPS IP 44 RAL 7035 TIEFE 250mm Basic

265mm

400mm

530mm


665mm

800mm


1065mm

600mm


OPS 26




OPS 46




OPS 56




OPS 66



OPS 86




OPS 106




800mm


OPS 28




OPS 48




OPS 58




OPS 68



OPS 88



OPS 108



OBUDOWY OPS IP 44 RAL 7035 GŁ BOKO 250mm 2-komorowe



OPS TYPE HOUSING IP 44 RAL 7035 DEPTH 250mm two-chamber

GEHÄUSE OPS IP 44 RAL 7035 TIEFE 250mm 2-Kammer

530mm

665mm


665mm

800mm


1065mm

600mm


OPS 56.2




OPS 66.2-26/46




OPS 66.2-46/26



OPS 86.2-46/46




OPS 106.2-56/56




800mm


OPS 58.2




OPS 68.2-28/48




OPS 68.2-48/28



OPS 88.2-48/48



OPS 108.2-58/58



OBUDOWY OPS IP 44 RAL 7035 GŁ BOKO 320mm 2 i 3-komorowe



OPS TYPE HOUSING IP 44 RAL 7035 DEPTH 250mm two and three-chamber

GEHÄUSE OPS IP 44 RAL 7035 TIEFE 250mm 2- und 3-Kammer

400mm


800mm

800mm


800mm

600mm


OPS 86.2-26/56



OPS 86.2-56/26




OPS 86.3




800mm


OPS 48.2




OPS 88.2-28/58



OPS 88.2-58/28




OPS 88.3



OBUDOWY OPS IP 44 RAL 7035 GŁ BOKO 320mm 2-komorowe

OPS TYPE HOUSING IP 44 RAL 7035 DEPTH 250mm two-chamber


GEHÄUSE OPS IP 44 RAL 7035 TIEFE 250mm 2-Kammer



OBUDOWY OPS IP 44 RAL 7035 GŁ BOKO 320mm 2-komorowe

OPS TYPE HOUSING IP 44 RAL 7035 DEPTH 250mm two-chamber


GEHÄUSE OPS IP 44 RAL 7035 TIEFE 250mm 2-Kammer



OBUDOWY OPS IP 44 RAL 7035 GŁ BOKO 320mm 3-komorowe

OPS TYPE HOUSING IP 44 RAL 7035 DEPTH 250mm three-chamber

GEHÄUSE OPS IP 44 RAL 7035 TIEFE 250mm 3-Kammer




OBUDOWY OPS IP 44 RAL 7035 GŁ BOKO

320mm 3 i 4-komorowe

OPS TYPE HOUSING IP 44 RAL 7035 DEPTH 250mm three and four-chamber



GEHÄUSE OPS IP 44 RAL 7035 TIEFE 250mm 3- und 4-Kammer



FUNDAMENTY ORAZ NADSTAWKI DO OBUDÓW OPS

FOUNDATION AND EXTEND OF THE FOUNDATION FOR OPS TYPE HOUSING

SOCKEL FPS UND SOCKEL NFS



FUNDAMENT FPS FPS foundation / Sockel FPS		TYPY OBUDÓW Type housing / Gehäuse Typ
Typ/Type	szeroko (mm)	OPS
FPS 26	260	24, 25, 26, 28
FPS 40	400	44, 45, 46, 48
FPS 53	530	54, 54.2, 55, 55.2, 56, 56.2, 58, 58.2
FPS 66	660	Wszystkie obudowy OPS o szeroko ci 660 mm All housing OPS type with a width of 660 mm OPS bis 660 mm
FPS 80	800	84, 84.2, 85, 85.2, 86, 86.2, 88, 88.2
FPS 106	1060	Wszystkie obudowy OPS o szeroko ci 1065 mm All housing OPS type with a width of 1065 mm OPS bis 1065 mm

Nadstawka fundamentu NFS NFS extend for foundation / Sockel NFS		TYPY OBUDÓW Type housing / Gehäuse Typ
Typ/Type	szeroko (mm)	OPS
NFS 26	260	24, 25, 26, 28
NFS 40	400	44, 45, 46, 48
NFS 53	530	54, 54.2, 55, 55.2, 56, 56.2, 58, 58.2
NFS 66	660	Wszystkie obudowy OPS o szeroko ci 660 mm All housing OPS type with a width of 660 mm OPS bis 660 mm
NFS 80	800	84, 84.2, 85, 85.2, 86, 86.2, 88, 88.2
NFS 106	1060	Wszystkie obudowy OPS o szeroko ci 1065 mm All housing OPS type with a width of 1065 mm OPS bis 1065 mm